Oakville Boom Lift License

Oakville Boom Lift License - In order to operate an aerial boom lift, operators must be licensed through training which could be attained utilizing both practical training and classroom sessions and by attaining a boom lift license. Instruction must be given with respect to the kind of aerial lift that will be used on the job. A License is needed for any individual who operates or works on an aerial boom lift.

Vehicle-mounted aerial devices consist of the following work vehicles: aerial ladders, extensible boom platforms, articulating boom platforms, vertical towers, and any combination of these kinds.

There are a number of basic safety rules which apply to all boom lifts. Worker safety whilst inside the basket is a top priority. Workers must wear a body harness and lanyard attached to the basket or boom. Never tie off to a structure, equipment or an adjacent pole. Staff must stand on the basket floor, and never climb or sit on the edge of the basket. The load restrictions of the manufacturer should be followed.

Lift operators have to be certified to operate an aerial lift. The manufacturer's guidebook should be kept in the lift and the operator must be familiar with all aspects of that specific unit. Operators are responsible for ensuring that safety procedures are followed in operating the lift. A daily test of lift controls must be carried out. Set brakes and position outriggers (if they are used) on a stable surface or on pads. When working on a slope, make use of wheel chocks.

Never move an aerial lift truck with an elevated boom while personnel are in the basket. Extensible boom platforms and articulating boom utilized as personnel carriers must have plainly marked, accessible, upper controls. Except for in emergency conditions, lower controls should not be utilized to override upper controls unless the individual within the lift gives authorization.

Do not wear tree or pole climbers shall while working from an aerial lift.

The insulated part of the aerial lift must not be altered.

Do inspect the booms to ensure it is properly cradled and the outriggers are in the stowed position before moving.

Make sure that lifts being used near or in power lines are di-electrically tested and follow local rules.